INDEX*
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 65, 1992
AUTHOR INDEX†

Akita, Shuichi, see Onishi, Hidenori, (abs-F91#1) (1) 259
Albano, M., see Arcella, V., (abs-S92#65) (4) 863
Alesi, A. L., see Medalia, A. I., (1) 154
Anderson, Thomas E., see Roberts, Ronald L., (abs-F91#8) (1) 261
Andrews, Francis J., Understanding strain sensitivity effects in vibration isolators (abs-S92#27) (4) 855
Arcella, V., Albano, M., Chiodini, G., Barchiesi, E., and Chiodini,G., Development of new nucleophile resistant vinylidene fluoride fluorocarbon elastomers (abs-S92#65) (4) 863
Arruda, P. J., see Larson, S. F., (abs-F91#75) (1) 273
Asada, Mitch, see Nekola, Ken, (abs-S92#58) (4) 862
Asada, Mitch, see Nekola, Ken, (abs-F91#24) (1) 263

Akita, Shuichi, see Onishi, Hidenori, (abs-F91#1) (1) 259
Albano, M., see Arcella, V., (abs-S92#65) (4) 863
Alesi, A. L., see Medalia, A. I., (1) 154
Anderson, Thomas E., see Roberts, Ronald L., (abs-F91#8) (1) 261
Andrews, Francis J., Understanding strain sensitivity effects in vibration isolators (abs-S92#27) (4) 855
Arcella, V., Albano, M., Chiodini, G., Barchiesi, E., and Chiodini,G., Development of new nucleophile resistant vinylidene fluoride fluorocarbon elastomers (abs-S92#65) (4) 863
Arruda, P. J., see Larson, S. F., (abs-F91#75) (1) 273
Asada, Mitch, see Nekola, Ken, (abs-S92#58) (4) 862
Asada, Mitch, see Nekola, Ken, (abs-F91#24) (1) 263

Askea, D. W., see Hasman, D. F., Jr., (abs-F91#65) (1) 272

Baker, W. E., see Rajalingham, P., (5) 908
Barbin, W. W., The environment and global tire materials (abs-S92#36) (4) 857
Barchiesi, E., see Arcella, V., (abs-S92#65) (4) 863
Bartelson, Larry E., Carbon black prospects in the rubber industry (abs-S92#24) (4) 855
Bates, Joel R. and Bickel, Chris, Controlling diversified gum calenders using gamma backscatter thickness measurement (abs-F91#64) (1) 272
Bednarik, Michael W. and Kear, Kenneth E., Automotive elastomer part design for elastomeric alloys (abs-F91#33) (1) 266
Behrens, E. W., Sirdeshpande, G., and Wöss, H. P., Closed-cell elastomeric foams as water-vapor retardant insulators on cold pipes (abs-S92#51) (4) 860
Benko, David A., see Evans, Larry R., (1) 201
Benzing, Kimberly A., see Waddell, Walter H., (2) 411
Bergh, J., see Vera, D. G., (abs-S92#53) (4) 860
Bhowmick, Anil K., see Maiti, Sudarsan, (2) 293
Bhowmick, Anil K., see Kumar, Nalini R., (5) 879
Bhowmick, Anil K., see Thavamani, P., Wear of tank track pad rubber vulcanizates by various rocks (1) 31
Bickel, Chris, see Bates, Joel R., (abs-F91#64) (1) 272
Biegler, Kirk K., Multiaxial dynamic characterization of elastomeric materials or components (abs-F91#73) (1) 273
Boltze, Carsten and Reese, Thorsten, New ways to combat hydroplaning—Developing the Aquacontact (abs-S92#45) (4) 858

* The first issue of Volume 65 contains abstracts of Fall 1991 Meeting Papers not published in full in Rubber Chemistry and Technology. The papers are cited in this index as (abs-F91#..) with the appropriate paper number inserted. The fourth issue of Volume 65 has abstracts from the Spring 1992 meeting. They are cited using a similar convention, *i.e.*, (abs-S92#..). Complete copies of these papers may be obtained from the Rubber Division Library, The University of Akron, Akron OH 44325-3907.

† Prepared by Lois W. Brock.

INDEX*
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 65, 1992
AUTHOR INDEX†

Akita, Shuichi, see Onishi, Hidenori, (abs-F91#1) (1) 259
Albano, M., see Arcella, V., (abs-S92#65) (4) 863
Alesi, A. L., see Medalia, A. I., (1) 154
Anderson, Thomas E., see Roberts, Ronald L., (abs-F91#8) (1) 261
Andrews, Francis J., Understanding strain sensitivity effects in vibration isolators (abs-S92#27) (4) 855
Arcella, V., Albano, M., Chiodini, G., Barchiesi, E., and Chiodini,G., Development of new nucleophile resistant vinylidene fluoride fluorocarbon elastomers (abs-S92#65) (4) 863
Arruda, P. J., see Larson, S. F., (abs-F91#75) (1) 273
Asada, Mitch, see Nekola, Ken, (abs-S92#58) (4) 862
Asada, Mitch, see Nekola, Ken, (abs-F91#24) (1) 263

Akita, Shuichi, see Onishi, Hidenori, (abs-F91#1) (1) 259
Albano, M., see Arcella, V., (abs-S92#65) (4) 863
Alesi, A. L., see Medalia, A. I., (1) 154
Anderson, Thomas E., see Roberts, Ronald L., (abs-F91#8) (1) 261
Andrews, Francis J., Understanding strain sensitivity effects in vibration isolators (abs-S92#27) (4) 855
Arcella, V., Albano, M., Chiodini, G., Barchiesi, E., and Chiodini,G., Development of new nucleophile resistant vinylidene fluoride fluorocarbon elastomers (abs-S92#65) (4) 863
Arruda, P. J., see Larson, S. F., (abs-F91#75) (1) 273
Asada, Mitch, see Nekola, Ken, (abs-S92#58) (4) 862
Asada, Mitch, see Nekola, Ken, (abs-F91#24) (1) 263

Askea, D. W., see Hasman, D. F., Jr., (abs-F91#65) (1) 272

Baker, W. E., see Rajalingham, P., (5) 908
Barbin, W. W., The environment and global tire materials (abs-S92#36) (4) 857
Barchiesi, E., see Arcella, V., (abs-S92#65) (4) 863
Bartelson, Larry E., Carbon black prospects in the rubber industry (abs-S92#24) (4) 855
Bates, Joel R. and Bickel, Chris, Controlling diversified gum calenders using gamma backscatter thickness measurement (abs-F91#64) (1) 272
Bednarik, Michael W. and Kear, Kenneth E., Automotive elastomer part design for elastomeric alloys (abs-F91#33) (1) 266
Behrens, E. W., Sirdeshpande, G., and Wöss, H. P., Closed-cell elastomeric foams as water-vapor retardant insulators on cold pipes (abs-S92#51) (4) 860
Benko, David A., see Evans, Larry R., (1) 201
Benzing, Kimberly A., see Waddell, Walter H., (2) 411
Bergh, J., see Vera, D. G., (abs-S92#53) (4) 860
Bhowmick, Anil K., see Maiti, Sudarsan, (2) 293
Bhowmick, Anil K., see Kumar, Nalini R., (5) 879
Bhowmick, Anil K., see Thavamani, P., Wear of tank track pad rubber vulcanizates by various rocks (1) 31
Bickel, Chris, see Bates, Joel R., (abs-F91#64) (1) 272
Biegler, Kirk K., Multiaxial dynamic characterization of elastomeric materials or components (abs-F91#73) (1) 273
Boltze, Carsten and Reese, Thorsten, New ways to combat hydroplaning—Developing the Aquacontact (abs-S92#45) (4) 858

* The first issue of Volume 65 contains abstracts of Fall 1991 Meeting Papers not published in full in Rubber Chemistry and Technology. The papers are cited in this index as (abs-F91#..) with the appropriate paper number inserted. The fourth issue of Volume 65 has abstracts from the Spring 1992 meeting. They are cited using a similar convention, *i.e.*, (abs-S92#..). Complete copies of these papers may be obtained from the Rubber Division Library, The University of Akron, Akron OH 44325-3907.

† Prepared by Lois W. Brock.

Bomal, Y., Cochet, P., Dejean, B., Machurat, J., and Gelling, I., Influence of mixing procedures on the properties of a silica reinforced agricultural tire tread (abs-S92#54) (4) 861
Bond, Karen M. and Mowrey, Douglas H., New developments in waterborne adhesives technology (abs-S92#67) (4) 864
Boreas, Vincent J. and Haeder, W., Planning, installation, and commisioning of a mixing system for industrial rubber products (abs-F91#34) (1) 266
Bose, S. K., The performance of a novel activator for azodicarbonamide in the manufacture of sponge and cellular rubber (abs-S92#39) (4) 858
Bouldin, Mark G., see Collins, Jim, (abs-F91#13) (1) 262
Brinkmann, John E., International trends in rubber chemicals (abs-S92#23) (4) 854
Briscoe, B. J. and Liatsis, D., Internal crack synmmetry phenomena during gas-induced rupture of elastomers (2) 350
Brittain, William J., A review of group-transfer polymerization (review) (3) 580
Brodsky, William L., see Ling, Yun, (5) 917
Brown, T. A., Compounding for maximum heat resistance and load-bearing capacity in HNBR synchronous belt compounds (abs-F91#80) (1) 274
Buchanan, Michael G., Rotary pressure joints, 1933-1991 (abs-F91#38) (1) 267
Burbank, Frederick R. and Ploski, Walter A., Continuous processing of high-quality rubber compounds on a ZSK co-rotating twin screw extruder (abs-S92#72) (4) 865
Burkhart, C. W., see Massie, J. M. (abs-S92#57) (4) 862
Bussem, Hermann, see Peacock, Christopher, (abs-S92#4) (4) 852
Butler, J. and Freakley, P. K., Effect of humidity and water content on the cure behavior of a natural-rubber accelerated sulfur compound (2) 374

Cakmak, M., see Dutta, A., (5) 932
Capelle, Gerd, Recycling of used tires and rubber scrap (abs-F91#37) (1) 266
Capelle, Gerd, Pin-convert extruder (abs-F91#46) (1) 269
Causa, A. G., see Lee, B. L., (abs-S92#56) (4) 861
Chadhuri, S., see Jana, P. B., (1) 7
Chasey, Kent L., Rubber process oils for peroxide curing of ethylene–propylene elastomers (2) 385
Chee, K. K., see Gan, L. H., (1) 1
Chiodini, G., see Arcella, V., (abs-S92#65) (4) 863
Cho, P. L. and Hamed, G. R., Green strength of carbon-black-filled styrene–butadiene rubber (2) 475
Close, Don, Adhesive systems for bonding EPDM roofing membrane seams (abs-F91#4) (1) 259
Cochet, P., see Bomal, Y., A reinforced agricultural tire tread (abs-S92#54) (4) 861
Collins, Jim and Bouldin, Mark G., Long- and short-term stability of straight and polymer-modified asphalts (abs-F91#13) (1) 262
Coran, A. Y. and Lee, S., New elastomers by reactive processing. Part II. Dynamic vulcanization of blends by trans-esterification (1) 231
Coran, A. Y. and Donnet, J. B., The dispersion of carbon black in rubber Part I. Rapid method for assessing quality of dispersion (5) 973
Coran, A. Y. and Donnet, J. B., The dispersion of carbon black in rubber Part II. The kinetics of dispersion in natural rubber (5) 998
Coran, A. Y. and Donnet, J. B., The dispersion of carbon black in rubber Part III. The effect of dispersion quality on the dynamic mechanical properties of filled natural rubber (5) 1016
Coran, A. Y., see Lee, Shirley, (abs-S92#76) (4) 867
Costello, Michael L., see Drake, Ronald E. (abs-S92#46) (4) 859
Cowan, Ben, The rotorless curemeter: sponge testing advantages (abs-S92#40) (4) 858
Crespi, Sandro, see Pomini, Luigi, (abs F91#25) (1) 264
Cummings, D., Gent, A. N., Kim, W., and Padovan, J., Contact of rubber wedges with a flat rigid surface (1) 223

De, S. K., see Jana, P. B., (1) 7
De, S. K., see Ramesh, P., (1) 24
De, S. K., see Maiti, Sudarsan, (2) 293
Dejean, B., see Bomal, Y., A reinforced agricultural tire tread (abs-S92#54) (4) 861
Diani, E., Gargani, L., and Sacconi, L. Vitalini, Styrenic block copolymers as bitumen modifiers for improved roofing sheets (abs-F91#14) (1) 262
Dick, John S., The optimal measurement and use of dynamic properties from the moving die rheometer for rubber compound analysis (abs-S92#77) (4) 867
Dick, John S., see Pawlowski, Henry, (abs-S92#70) (4) 865
Dick, John S., see Sezna, John A., (abs-F91#44) (1) 268
Diedrich, K. M., see Hupp, Richard J., (abs-S92#13) (4) 852
DiMauro, P. J., see Sezna, John A., (abs-S92#69) (4) 864
Dobel, Theresa M. and Harrell, Jerald R., New developments in ethylene/acrylic elastomers (abs-F91#28) (1) 264

Dodson, A. J., Availability of key elastomer raw materials (abs-S92#34) (4) 856
Donegani, P., see Lori, D., (abs-F91#2) (1) 259
Donnet, J. B. and Gossot, Jacques, Jean Le Bras (1909–1988) (2) G27
Donnet, J. B., see Coran, A. Y., (5) 973
Donnet, J. B., see Coran, A. Y., (5) 998
Donnet, J. B., see Coran, A. Y., (5) 1016
Douglas, James B., see Waddell, Walter H. (abs-S92#41) (4) 858
Drake, Ronald E. and Labriola, John M., Costello, Michael L., and Holliday, Jeffery J., Improved adhesion of silicone elastomers using polybutadiene-modified resins (abs-S92#45) (4) 859
Dutt, O., see Paroli, R. M., (abs-F91#12) (1) 261
Dutta, A. and Cakmak, M., (5) 932
Duynstee, E. F. J., see Versloot, P., (2) 343
Díaz, Andrés Rodríguez, see Hernández, Luis Gonzáles, (5) 869

Edwards, Dwayne and Norman, David, Using software technology to integrate the business, engineering, and production aspects of the polymer mixing industry (abs-S92#75) (4) 866
Elschner, A., see Pieroth, M., (abs-S92#47) (4) 859
Emge, Dale E., Thermoplastic rubber—the continuing upgrade over traditional rubber in the workplace (abs-S92#35) (4) 857
Engel, Peter A., see Ling, Yun, (5) 917
Erspacher, Michel, see Zerda, T. Waldek, (1) 130
Evans, Larry R., Benko, David A., Gillick, James G., and Waddell, Walter H., Microencapsulated antidegradants for extending rubber lifetime (1) 201
Evans, Larry R., see Waddell, Walter H., (2) 411
Evans, Larry R., see Waddell, Walter H., (review) (3) 687

Fair, Matthew L., see Halladay, James R., (abs-F91#26) (1) 264
Fielding-Russell, G. S., see Pillai, P. S., (2) 444
Freakley, P. K., see Butler, J., (2) 374

Galloway, F. M., Linear measurement of rubber hose (abs-S92#71) (4) 865
Gan, L. H., Ng, S. C., and Chee, K. K., Kinetic study of oxidative scission in natural rubber by Wallace Plasticity measurements (1) 1
Gargani, L., see Diani, E., (abs-F91#14) (1) 262
Gelling, I., see Bomal, Y. (abs-S92#54) (4) 861
Gent, A. N., see Cummings, D., (1) 223
Gillick, James G., see Waddell, Walter H., (review) (3) 687
Gillick, James G., see Evans, Larry R., (1) 201
Gonzalez, E. A., Purgly, E. P., and Rader, C. P., Thermoplastic elastomers—Friends of the environment (abs-F91#40) (1) 267
Good, Gary, PROOPT, A property balancing system (4) 866
Gossot, Jacques, see Donnet, J. B. (2) G27
Graf, Jim, see Sunday, Steffanie, (abs-S92#12) (4) 852
Graham, Timothy R., Practical techniques of injection molding (abs-S92#14) (4) 853
Gronski, Wolfram, Hoffman, Uwe, Simon, Gerald, Wutzler, Andre, and Straube, Ekkehard, Structure and density of crosslinks in natural-rubber vulcanizates. A combined analysis by NMR spectroscopy, mechanical measurements, and rubber-elastic theory (1) 63
Grosch, K. A., Abrasion of rubber and its relations to tire wear (1) 78
Gupta, B. R., see Kumar, Nalini R., (5) 879

Haasnoot, J. G., see Versloot, P., (2) 343
Hader, W., see Limper, Andres, (abs-F91#22) (1) 263
Hadjichristidis, N., see Zhou, L.-L., (2) 303
Haeder, W., see Boreas, Vincent J., (abs-F91#34) (1) 266
Hajdasz, David J., Analysis for N-nitrosamines in elastomeric compounds (abs-F91#42) (1) 267
Halasa, A. F., see Massie, J. M. (abs-S92#57) (4) 862
Halladay, J. R., Potter, J. L., and Kohli, T. S., Shock and vibration control in aerospace applications. Part I. (abs-S92#28) (4) 855
Halladay, J. R., see Kohli, T. S., (abs-S92#29) (4) 856
Halladay, James R. and Fair, Matthew L., A laboratory-scale comparison between tangential and intermeshing rotor design for internal mixers (abs-F91#26) (1) 264
Hamed, G. R., see Cho, P. L., (2) 475
Hann, Cynthia J., see Sullivan, A. B., (2) 488
Harrell, Jerald R., see Dobel, Theresa M., (abs-F91#28) (1) 264
Hashimoto, K., see Iwasaki, Y. (abs-S92#30) (4) 856

Hashimoto, Kinro, see Hayashi, Sachio, (abs-F91#29) (1) 265
Hasman, D. F., Jr. and Askea, D. W., Polymer processability through fundamental viscoelastic properties (abs-F91#65) (1) 272
Hattori, Iwakazu, see Sakakibara, Mitsuhilo, (abs-F91#31) (1) 265
Hawley, David L., Partnership in Quality (abs-S92#79) (4) 868
Hayashi, Sachio, Oyama, Motofumi, Hashimoto, Kinro, and Nagakawa, Takasi, New improved low-temperature hydrogenated nitrile rubber (HNBR) (abs-F91#29) (1) 265
He, J., see Massie, J., (abs-S92#57) (4) 862
Hendricks, T. A., Pneumatic conveying of carbon black, a second look (abs-F91#35) (1) 266
Hensel, M., see Larsen, Lars C., (abs-S92#11) (4) 852
Herd, Charles R., Morphology of carbon-black aggregates: Fractal *versus* Euclidean geometry, (1) 107
Hernández, Luis Gonzáles, Díaz, Andrés Rodrígues, and González, Juan Luis de Benito, Different curing systems for ethylene–propylene elastomers (5) 869
Hertz, Daniel L., Jr., see Peacock, Christopher, (abs-S92#4) (4) 852
Hess, William H., see Herd, Charles R., (1) 107
Hoffman, Uwe, see Gronski, Wolfram, (1) 63
Holliday, Jeffery J., see Drake, Ronald E.(abs-S92#46) (4) 859
Holtkamp, D., see Pieroth, M., (abs-S92#47) (4) 859
Hongu, Yuji, see Sakakibara, Mitsuhilo, (abs-F91#31) (1) 265
Hoshi, Yasushisa, see Thorburn, Bruce, (abs-F91#63) (1) 272
Hsu, W. L., see Massie, J. M. (abs-S92#57) (4) 862
Hu, Benfei and White, James L., Flow visualization studies of mixing of elastomers in an internal mixer using rotors of different design (abs-S92#20) (4) 854
Hupp, Richard J., Diedrich, K. M., and Mahlke, D., The use of trans-polyoctenamer as an aid in injection molding (abs-S92#13) (4) 852

Iwasaki, Y., Ohoyama, T., and Hashimoto, K., Vibration isolation and fatigue characterization of heat resistant HNBR (abs-S92#30) (4) 856

Jablonowski, Thomas L., Tetrabenzylthiuram disulfide and N-cyclohexyl-*bis*-(2-benzothiazole sulfen)amide as alternative accelerators to reduce the generation of hazardous nitrosamines (abs-F91#41) (1) 267
Jahidin, Dato Ahmed Sabki bin, Natural-rubber marketing trends (abs-S92#18) (4) 853
Jana, P. B., De, S. K., Chadhuri, S., and Pal, A. K., Electrical conductivity of barium-ferrite–vulcanized polychloroprene (1) 7
Johnson, A. R. and Quigley, C. J., A viscohyperelastic Maxwell model for rubber elasticity (1) 137
Johnson, Frank, Weckerle, G., and Wien, J. P., Tandem mixing (abs-F91#27) (1) 264
Johnson, Milton, see Sunday, Steffanie, (abs-S92#12) (4) 852
Jones, F. Kenneth and Klaas, Steven J., The development and performance simulation of polychloroprene high-temperature engine mounts (abs-F91#79) (1) 273

Kear, Kenneth E., see Bednarik, Michael W., (abs-F91#33) (1) 266
Keller, Robert C. and White, Donald A., Electrochemical influence on carbon-filled ethylene–propylene elastomers (abs-F91#18) (1) 263
Kelly, T. J., see Larson, S. F., (abs-F91#75) (1) 273
Kim, W., see Cummings, D., (1) 223
Klaas, Steven J., see Jones, F. Kenneth, (abs-F91#79) (1) 273
Knight, Bernard A., Vyram thermoplastic rubber properties and applications (abs-S92#64) (4) 863
Koenig, J. L., see Krejsa, M. R., (2) 427
Koenig, J. L., see Krejsa, M. R., (5) 956
Koenig, J. L., see Smith, S. R., (1) 176
Kohli, T. S., see Halladay, J. R. (abs-S92#28) (4) 855
Kohli, T. S., Law, Thomas R., Potter, James L., and Halladay, James R., Shock and vibration control in aerospace applications. Part II. (abs-S92#29) (4) 856
Kramer, Hagen, Improvement of reproducibility of Mooney-viscosity measurements (abs-F91#74) (1) 273
Kramer, William A., Advanced extrusion-control technology (abs-F91#47) (1) 269
Krejsa, M. R. and Koenig, J. L., Solid-state C-13 NMR studies of vulcanized elastomers. X. N-*t*-Butyl-2-benzothiazole sulfenamide accelerated sulfur vulcanization of *cis*-polyisopropylene at 75.5 MHz (2) 427
Krejsa, M. R. and Koenig, J. L., Spin-spin motional analysis of accelerated sulfur vulcanized *cis*-polyisoprene (5) 956
Kuhls, George H., see Sullivan, A. B., (2) 488
Kumar, Nalini R., Bhowmick, Anil K., and Gupta, B. R., (5) 879
Kuriakose, A. P., see Mathew, George, (2) 277

Labriola, John M., see Drake, Ronald E. (abs-S92#46) (4) 859
Larsen, Lars, Wasko, Joseph J., Vander Kooi, John, Sherritt, Jerry M., and Hensel, M., Injection molding with quality additives for improved performance (abs-S92#11) (4) 852
Larson, S. F., Kelly, T. J., and Arruda, P. J., A statistical evaluation of the no-pass method for Mooney-viscosity measurement (abs-F91#75) (1) 273
Lavallee, C., see Paroli, R. M., (abs-F91#12) (1) 261
Lavebratt, Håkan and Stenberg, Bengt, Anisotropy in injection-molded styrene–butadiene rubbers. Disks laminated by water-jet cutting technique (abs-F91#84) (1) 275
Law, T. R., see Kohli, T. S. (abs-S92#29) (4) 856
Layer, Robert W., Recuring vulcanizates. I. A novel way to study the mechanism of vulcanization (1) 211
Lechner, James A., see Rossiter, Walter J., Jr. (abs-F91#5) (1) 260
Lederer, Donald A. and Zaper, Mia, Evaluation of *N-t*-butyl-2-benzothiazole sulfenamide (abs-F91#59) (1) 271
Lee, B. L., Liu, D. S., Causa, A. G., and Medzorian, J. P., Fatigue behavior of cord-reinforced rubber composites (abs-S92#56) (4) 861
Lee, Ching-Chih, see Miller, William H., (abs-F91#36) (1) 266
Lee, S., see Coran, A. Y., (1) 231
Lee, Shirley, Pawlowski, Henry, and Coran, A. Y., Method for estimating the physical and chemical crosslink densities of cured natural rubber (abs-S92#76) (4) 867
Lee, William B., Molding technology: an overview (abs-S92#1) (4) 851
Letton, A. and Paramasivan, M., Rheological test to characterize injection molding (abs-S92#2) (4) 851
Liatsis, D., see Briscoe, B. J., (2) 350
Limper, Andres and Hader, W., The mixing room—Systems aspects (abs-F91#22) (1) 263
Ling, Yun, Engel, Peter A., and Brodsky, William L., Nonlinear load-deflection relations of bonded elastomeric circular disks and strips (5) 917
Liu, D. S., see Lee, B. L., (abs-S92#56) (4) 861
Liu, J. L., see Nakajima, N., (2) 453
Lori, D. and Donegani, P., Correlation between EP(D)M structure and toughening effect of PP modification (abs-F91#2) (1) 259

Machurat, J., see Bomal, Y., A reinforced agricultural tire tread (abs-S92#54) (4) 861
Mahlke, D., see Hupp, Richard J., (abs-S92#13) (4) 852
Maiti, Sudarsan, De, S. K., and Bhowmick, Anil K., Quantitative estimation of filler distribution in immiscible rubber blends by mechanical damping studies (2) 293
Marshall, A. J., Interfacial adhesion of various elastomers to hydrogenated nitrile rubber (abs-F91#83) (1) 274
Marshall, A. J., Hydrogenated nitrile rubber: a cost performance alternative to fluoroelastomer (abs-S92#68) (4) 864
Martin, Jonathan W., see Rossiter, Walter J., Jr. (abs-F91#5) (1) 260
Massie, J. M., Halasa, A. F., Thudium, R. N., Burkhart, C. W., Hsu, W. L., He, J., Zoller, P., and Ritchey, W. M., Miscibility and phase behavior of polyisoprene/polybutadiene and polybutadiene/polybutadiene blends (abs-S92#57) (4) 862
Mathew, George, Pillai, P. Viswanathan, and Kuriakose, A. P., Studies on a new binary accelerator system for the sulfur vulcanization of styrene–butadiene rubber (2) 277
Mattson, Bengt and Stenberg, Bengt, Electrical conductivity of thermo-oxidatively-degraded EPDM rubber (2) 315
Matuda, Hiroaki, see Onishi, Hidenori, (abs-F91#1) (1) 259
May, P. Dodd, Structural changes in the synthetic rubber industry (abs-S92#26) (4) 855
McDonald, Gerard C., see Herd, Charles R., (1) 107
McMahon, John M., see Waddell, Walter H., (2) 411
Mead, J. L., see Medalia, A. I., (1) 154
Medalia, A. I., Alesi, A. L., and Mead, J. L., Pattern abrasion and other mechanisms of wear of tank track pads (1) 154
Medzorian, J. P., see Lee, B. L., (abs-S92#56) (4) 861
Meier, D. J., see Pai, P. C.-H., (2) 396
Miller, William H., Lee, Ching-Chih, and Stevenson, James F., Controlled curvature in extrusion (abs-F91#36) (1) 266
Molesky, Frank, Advances in flame retardancy and fire testing for EPDM (abs-F91#7) (1) 261
Mowrey, Douglas H., see Bond, Karen M., (abs-S92#67) (4) 864
Musch, R., Polychloroprene grades with improved processing behavior and vulcanizate properties (abs-F91#30) (1) 265

Nagakawa, Takasi, see Hayashi, Sachio, (abs-F91#29) (1) 265
Nakajima, N. and Liu, J. L., The effect of gel on the deformational behavior of polyvinylchloride (PVC) and nitrile rubber (NBR) blends (2) 453

Nakajima, N., Effect of extending oil and plasticizer on plateau modulus of gum rubbers (abs-S92#59) (4) 863
Nakamura, T.. see Yoshino, M., (abs-F91#56) (1) 271
Nekola, Ken and Asada, Mitch, Advances in mixing-line equipment (abs-S92#58) (4) 862
Nekola, Ken and Asada, Mitch, Advanced technology in internal mixers (abs-F91#24) (1) 263
Neuhaus, Ted G., Automatic tire x-ray inspection with emphasis on linear diode array imaging techniques (abs-F91#70) (1) 273
Newman, John W., Nondestructive testing of tires with real-time shearography abs-F91#67) (1) 272
Ng, S. C., see Gan, L. H., (1) 1
Nguyen, Tinh, see Rossiter, Walter J., Jr. (abs-F91#5) (1) 260
Noguchi, Kohkichi, see Onishi, Hidenori, (abs-F91#1) (1) 259
Norman, David, see Edwards, Dwayne, (abs-S92#75) (4) 866

Ohara, Tochio, see Toyoshima, Tsukasa, (abs-F91#32) (1) 265
Ohoyama, T., see Iwasaki, Y. (abs-S92#30) (4) 856
Okel, Timothy A., see Waddell, Walter H. (abs-S92#41) (4) 858
Onishi, Hidenori, Matuda, Hiroaki, Noguchi, Kohkichi, and Akita, Shuichi, The relation between the structure of SB-block copolymers and the properties of high-impact polystyrene (abs-F91#01) (1) 259
Ouellette, Joseph, Producing optimal part quality at reduced cycle times in rubber and thermoset molds (abs-F91#45) (1) 268
Oyama, Motofumi, see Hayashi, Sachio, (abs-F91#29) (1) 265

Padovan, J., see Cummings, D., (1) 223
Pai, P. C.-H. and Meier, D. J., The effect of pressure on the ultimate properties of elastomers (2) 396
Pal, S. K., see Jana, P. B., (1) 7
Paramasivan, M., see Letton, A., (abs-S92#2) (4) 851
Paris, William W., see Tisler, Andrew L., (abs-F91#58) (1) 271
Parker, Dane K., Roberts, Robert F., and Schiessl, Henry W., A new process for the preparation of highly saturated nitrile rubber in latex form (1) 245
Paroli, R. M., Dutt, O., and Lavallee, C., Application of mechanical testing and spectroscopy in solving roofing problems (abs-F91#12) (1) 261
Pawlowski, Henry and Dick, John S., A new dynamic mechanical tester designed for testing rubber (abs-S92#70) (4) 865
Pawlowski, Henry, see Lee, Shirley, (abs-S92#76) (4) 867
Peacock, Christopher, Bussem, Hermann, and Hertz, Daniel L., Jr., The use of the MDR 2000 to resolve a problem in injection molding (abs-S92#4) (4) 852
Pieroth, M., Holtkamp, D., and Elschner, A., The influence of boric acid ester on the structure and composition of the rubber–brass interface of Co-containing bonding compounds (abs-S92#47) (4) 859
Pillai, P. S. and Fielding-Russell, G. S., Tire rolling resistance from whole-tire hysteresis ratio (2) 444
Pillai, P. Viswanathan, see Mathew, George, (2) 277
Ploski, Walter A., see Burbank, Frederick R., (abs-S92#72) (4) 865
Pomini, Luigi and Crespi, Sandro, VIC generation: internal mixer with variable intermeshing clearance (abs-F91#25) (1) 264
Posey, F. T., The automated laboratory (abs-F91#52) (1) 270
Potter, J. L., see Halladay, J. R. (abs-S92#28) (4) 855
Potter, J. L., see Kohli, T. S. (abs-S92#29) (4) 856
Purgly, E. P., see Gonzalez, E. A., (abs-F91#40) (1) 267
Put, P., see Versloot, P., (2) 343

Quigley, A. R., see Johnson, A. R., (1) 137

Rader, C. P., see Gonzalez, E. A., (abs-F91#40) (1) 267
Rajalingham, P. and Baker, W. E., The role of functional polymers in ground rubber tire–polyethylene composite (5) 908
Ramesh, P. and De, S. K., Self-crosslinkable polymer blends based on chlorinated rubber and carboxylated nitrile rubber (1) 24
Randall, William R. and Riedel, John A., Thermal analysis techniques, TMA, in the development and monitoring of cellular thermoset materials (abs-S92#49) (4) 859
Ransbottyn, Guido M., Management of laboratory test data (abs-F91#49) (1) 269
Reedijk, J., see Versloot, P., (2) 343
Reese, Thorsten, see Boltze, Carsten (abs-S92#45) (4) 858
Riedel, John A., see Randall, William R. (abs-S92#49) (4) 859
Rivlin, R. S., Charles Goodyear Medal Address: The Elasticity of Rubber (3) G51

Roberts, A. D., A guide to estimating the friction of rubber (review) (3) 673
Roberts, Alan D., Winter and all-season tires (abs-S92#55) (4) 861
Roberts, Robert F., see Parker, Dane K., (1) 245
Roberts, Ronald L. and Anderson, Thomas E., Durability testing of single-ply roofing membranes (abs-F91#8) (1) 261
Rohde, Ernst, Ethylene vinyl acetate elastomers—Applications and opportunities for industrial rubber goods (abs-S92#32) (4) 856
Roland, C. M., see Santangelo, P. G., (5) 965
Roovers, J., see Zhou, L.-L., (2) 303
Rossiter, Walter J., Jr, Nguyen, Tinh, Martin, Jonathan W., Byrd, W. Eric, Seiler, James F., Jr., and Lechner, James A., Creep-rupture tests of joints fabricated from aged EPDM rubber membrane material (abs-F91#5) (1) 260
Rowland, Donald G., Expanding rubber through the years (abs-S92#37) (4) 857

Sacconi, L. Vitalini, see Diani, E., (abs-F91#14) (1) 262
Sakakibara, Mitsuhilo, Tsutsumi, Fumio, Hattori, Iwakazu, and Hongu, Yuji, Structure and properties of diene rubbers (abs-F91#31) (1) 265
Santangelo, P. G. and Roland, C. M., Chain ends and the Mullins effect in rubber (5) 965
Sawada, Yukihiro, see Toyoshima, Tsukasa, (abs-F91#32) (1) 265
Sawicky, Barbara, Improved rubber process control with automated data analysis (abs-F91#50) (1) 269
Schauder, J. R. and Stella, G., The unique design latitude of EPDM rubbers (abs-S92#50) (4) 860
Schiessl, Henry W., see Parker, Dane K., (1) 245
Schneider, Harold, Tucker, Hal, and Seo, Eddie T., Electrochemical degradation of coolant hoses (abs-S92#73) (4) 866
Schuler, J. Kevin, Extending the corporate network to the laboratory (abs-F91#51) (1) 270
Schultz, Neil, Rubber under Fire (abs-F91#6) (1) 260
Seiler, W. Eric, see Rossiter, Walter J., Jr., (abs-F91#5) (1) 260
Seo, Eddie T., see Schneider, Harold, (abs-S92#73) (4) 866
Setua, Dipak and White, James L., A flow visualization study on the influence of compatibilizing agents on the development of phase morphology in different elastomer blends with varying levels of relative polarity (abs-S92#22) (4) 854
Sezna, John A., DiMauro, P. J., and Sholley, C. K., Automation of rotorless curemeters (abs-S92#69) (4) 864
Sezna, John A., Rubber testing for injection molding (abs-S92#3) (4) 851
Sezna, John A. and Dick, John S., The use of rheometers for process control (abs-F91#44) (1) 268
Sherritt, Jerry M., see Larsen, Lars C., (abs-S92#11) (4) 852
Shiga, S., Rubber processability index using electrical resistivity (review) (3) 660
Sholley, C. K., see Sezna, John A., (abs-S92#69) (4) 864
Shuttleworth, Derek, see Waddell, Walter H., (review) (3) 687
Simon, Gerald, see Gronski, Wolfram, (1) 63
Simpson, R. O., see Vera, D. G., (abs-S92#53) (4) 860
Simula, Glen R., Dynamic mechanical properties of a natural-rubber test specimen under combined sinusoidal loadings (abs-F91#81) (1) 274
Sircar, Anil K., Analysis of elastomer vulcanizate composition by TG-DTG technique (review) (3) 503
Sirdeshpande, G., see Behrens, E. W., (abs-S92#51) (4) 860
Smith, S. R. and Koenig, J. L., Solid-state Carbon-13 NMR studies of vulcanized elastomers. IX. TMTD-vulcanized *cis*-1,4-polybutadiene at 75.5 MHz (1) 176
Snodgrass, Linda J., see Waddell, Walter H. (abs-S92#41) (4) 858
Speirs, Robert G. III and Whitmore, Eugene, Rubber technician/technologist: an assessment of knowledge and skills required (abs-F91#77) (1) 273
Starmer, Philip H., Relating the properties of polar and nonpolar liquids to the swelling of nitrile-rubber vulcanizates by these liquids. 1. Review of parameters (abs-F91#16) (1) 262
Starmer, Philip H., Relating the properties of polar and nonpolar liquids to the swelling of nitrile-rubber vulcanizates by these liquids. 2. Swelling curves (abs-F91#17) (1) 262
Starmer, Philip H., Relating the properties of polar and nonpolar liquids to the swelling of nitrile-rubber vulcanizates by these liquids. Part 3. Factors affecting maximum swelling (abs-S92#62) (4) 863
Stella, G., see Schauder, J. R., (abs-S92#50) (4) 860
Stenberg, Bengt, see Mattson, Bengt, (2) 315
Stenberg, Bengt, see Lavebratt, Håkan, (abs-F91#84) (1) 275
Stevenson, James F., see Miller, William H., (abs-F91#36) (1) 266
Straube, Ekkehard, see Gronski, Wolfram, (1) 63
Sullivan, A. B., Hann, Cynthia J., and Kuhls, George H., Vulcanization chemistry. Sulfur, N-*t*-butyl-2-benzothiazole sulfenamide formulations studied by high performance liquid chromatography (2) 488

Sunday, Steffanie, Teachout, Larry, Johnson, Milton, and Graff, Jim, Semi-permanent releasants for rubber injection molding (abs-S92#12) (4) 852

Tada, Hideyuki, see Takayama, Mineo, (1) 46
Takayama, Mineo, Tada, Hideyuki, and Tanaka, Ryuichi, Finite-element analysis of laminated rubber bearing used in base-isolated system (1) 46
Tan, E. H., see Wong, H. H., (abs-S92#78) (4) 867
Tanaka, Ryuichi, see Takayama, Mineo, (1) 46
Tarney, Robert E. and Thomas, Eric W., An investigation of fluoroelastomer postcure oven fires (abs-F91#43) (1) 268
Teachout, Larry, see Sunday, Steffanie, (abs-S92#12) (4) 852
Tessmer, W. E., Synthetic rubber—New frontiers (abs-S92#16) (4) 853
Thavamani, P. and Bhowmick, Anil K., Wear of tank track pad rubber vulcanizates by various rocks (1) 31
Thiruvengada, Seshan, see Wefer, John M., (abs-F91#10) (1) 261
Thomas, Eric W., see Tarney, Robert E., (abs-F91#43) (1) 268
Thorburn, Bruce and Hoshi, Yasushisa, Recent electron-beam processing equipment for the tire industry (abs-F91#63) (1) 272
Thudium, R. N., see Massie, J. M. (abs-S92#57) (4) 862
Tisler, Andrew L., To, Byron H., and Paris, William W., Alternate nonsecondary-amine compounding for butyl innertubes and improvements for long-term ozone resistance (abs-F91#58) (1) 271
To, Byron H., see Tisler, Andrew L., (abs-F91#58) (1) 271
Toporowski, P. M., see Zhou, L.-L., (2) 303
Toyoshima, Tsukasa, Sawada, Yukihiro, Ohara, Toshio, and Zen, Shinichiro, New acrylic rubber with excellent low-temperature resistance (abs-F91#32) (1) 265
Tsutsumi, Fumio, see Sakakibara, Mitsuhilo, (abs-F91#31) (1) 265
Tucker, Hal, see Schneider, Harold, (abs-S92#73) (4) 866

van Duin, M., see Versloot, P., (2) 343
Vander Kooi, John, see Larsen, Lars C., (abs-S92#11) (4) 852
Veith, Alan G., A review of important factors affecting treadwear (review) (3) 601
Vera, D. G., Simpson, R. O., and Bergh, J., The environmental tire (abs-S92#53) (4) 860
Versloot, P., Haasnoot, J. G., Reedijk, J., van Duin, M., Duynstee, E. F. J., and Put, P., Sulfur vulcanization of simple model olefins, Part I: Characterization of vulcanization products of 2,3-dimethyl-2-butene (2) 343
Visser, Germ W., Integrated computerized system for recipe formulations, mixing and testing of materials in a rubber laboratory (abs-F91#53) (1) 270

Waddell, Walter H., Douglas, James B., Okel, Timothy A., and Snodgrass, Linda J., Improved blaack sidewall compound performance using precipitated silica (abs-S92#41) (4) 858
Waddell, Walter H., Evans, Larry R., Gillick, James G., and Shuttleworth, Derek, Polymer surface modification (review) (3) 687
Waddell, Walter H., see Evans, Larry R., (1) 201
Waddell, Walter H., Benzing, Kimberly A., Evans, Larry R., and McMahon, John M., Direct characterization of rubber-surface chemistry using laser desorption mass spectrometry (2) 411
Wang, Meng-Jiao and Wolff, Siegfried, Filler–elastomer interactions. Part VI. Characterization of carbon blacks by inverse gas chromatography at finite concentration (5) 890
Wang, Meng-Jiao, see Wolff, Siegfried, (2) 329
Wasko, Joseph J., see Larsen, Lars C., (abs-S92#11) (4) 852
Weckerle, G., see Johnson, Frank, (abs-F91#27) (1) 264
Wefer, John M. and Thiruvengada, Seshan, Blends of nylon and functionalized EPDM (abs-F91#10) (1) 261
White, Donald A., see Keller, Robert C., (abs-F91#18) (1) 263
White, James L., Development of internal-mixer technology for the rubber industry (review) (3) 527
White, James L., see Hu, Benfei (abs-S92#20) (4) 854
White, James L., see Setua, Dipak K., (abs-S92#22) (4) 854
Whitmore, Eugene, see Speirs, Robert G. III, (abs-F91#77) (1) 273
Wieland, Rolf, How to develop and maintain an efficient cryogenic deflashing operation (abs-F91#48) (1) 269
Wien, J. P., see Johnson, Frank, (abs-F91#27) (1) 264
Williams, Jack, Coping with world forces of change (abs-S92#15) (4) 853
Wolff, Siegfried and Wang, Meng-Jiao, Filler–elastomer interactions. Part IV. The Effect of the surface energies of fillers on elastomer reinforcement (2) 329
Wolff, Siegfried, see Wang, Meng-Jiao, (5) 890
Wong, H. H. and Tan, E. H., Working with an imperfect test (abs-S92#78) (4) 867

Wutzler, Andre, see Gronski, Wolfram, (1) 63
Wöss, H. P., see Behrens, E. W., (abs-S92#51) (4) 860

Yang, Henry, see Zerda, T. Waldek, (1) 130
Yoshino, M. and Nakamura, T., Curing rate and flowing properties of silicone rubber at injection molding (abs-F91#56) (1) 271

Zaper, Mia, see Lederer, Donald A., (abs-F91#59) (1) 271
Zen, Shinichiro, see Toyoshima, Tsukasa, (abs-F91#32) (1) 265
Zerda, T. Waldek, Yang, Henry, and Gerspacher, Michel, Fractal dimension of carbon-black particles (1) 130
Zhou, L.-L., Hadjichristidis, N., Toporowski, P. M., and Roovers, J., Synthesis and properties of regular star polybutadienes with 32 arms (2) 303
Zoller, P., see Massie, J. M., (abs-S92#57) (4) 862

SUBJECT INDEX*

Abrasion, of rubber in tires and relation to wear (1) 78
Accelerator system, binary, for SBR vulcanization (2) 277
Accelerators, generating less nitrosamines (abs-F91#41) (1) 267
Accelerators, with long delay and slower cures and no nitrosamine formation (abs F91#59) (1) 269
Acrylic rubber, for low-temperature use (abs-F91#32) (1) 265
Adhesion, interfacial, of HNBR to various elastomers (abs-F91#83) (1) 274
Adhesive, for bonding EPDM roofing membrane seams (abs-F91#4) (1) 259
Adhesives, waterborne, new technology (abs-S92#67) (4) 864
Aerospace materials, shock and vibration control, Part I (abs-92#28) (4) 855
Aerospace materials, shock and vibration control, Part II (abs-S92#28) (4) 856
Analysis, by NMR spectroscopy, mechanical measurements and rubber-elastic theory (1) 63
Analysis, of vulcanizate composition by TG-DTG technique (review) (3) 503
Antiozonants, microencapsulated, for rubber (1) 201
Aquacontact, new tire to prevent hydroplaning (abs-S92#45) (4) 858
Asphalts, polymer-modified, long- and short-term stability (abs-F91#13) (1) 262
ASTM D 4637, durability test for EPDM and CR membranes (abs-F91#8) (1) 261
Automated laboratory, for data reduction, report generation, and statistical analysis (abs-F91#52) (1) 269
Automotive coolant systems, developing EPM compound to resist action of (abs-F91#18) (1) 263
Automotive elastomers, part design (abs-F91#33) (1) 266
Azide derivative, for avoiding chain scission in ethylene–propylene elastomers (5) 869
Azodicarbonamide, activator for in manufacture of expanded rubber (abs-S92#39) (4) 858

Barium-ferrite-vulcanized CR, with short carbon fibers, electrical conductivity (1) 7
Base-isolation system, with laminated rubber bearings (1) 46
Baypren, M-type, for improved processing (abs-F91#30) (1) 265
Bearings, laminated rubber, for base-isolation system (1) 46
Belts, synchronous, of HNBR, compounding for maximum heat resistance and load (abs-F91#80) (1) 274
Blends, elastomer, flow visualization of influence of compatabilizing agents on phase morphology (abs-S92#22) (4) 854
Blends, immiscible rubber, estimating filler distribution in (2) 293
Blends, of chlorinated NR and carboxylated NBR, self-crosslinkable (1) 24
Blends, of IR/BR and of BR/BR, studying miscibility and phase behavior (abs-S92#57) (4) 862
Blends, of NBR and polyester acrylate (1) 231
Blends, of nylon and functionalized (maleated) EPDM (abs-F91#10) (1) 261
Blends, of PVC and NBR, effect of gel on deformation (2) 453
Book Review: "Catalytic Chemistry," B. C. Gates (1) G17
Book Review: "Polymer Characterization: Physical Property, Spectroscopic, and Chromatographic Methods," Clara D. Craver and Theodore Provder, Eds. (2) G25, (4) G88
Book Review: "Spectroscopy of Polymers," J. L. Koenig (5) G97
Book Review: "Water-soluble Polymers: Synthesis, Solution Properties, and Applications," Shalaby W. Shalaby, Charles L McCormick, and George B. Butler, Eds. (1) G17
Boric acid ester, influence on rubber–brass interface (abs-S92#47) (4) 859
BR, *cis*, with different 1,4-sequence distribution (abs-F91#31) (1) 265

C-13 NMR studies, of IR vulcanized with N-*t*-butyl-2-benzothiazole sulfenamide accelerator (2) 427
Calenders, controlling with gamma backscatter thickness measurement (abs-F91#64) (1) 272
Carbon black aggregates, morphology studied by fractal *versus* Euclidian geometry (1) 107
Carbon black, characterizing by inverse gas chromatography at finite concentration (5) 890
Carbon black, fractal dimensions (1) 130
Carbon black, method for assessing quality of dispersion in rubber (5) 973
Carbon black, pneumatic conveying (abs-F9135) (1) 266
Carbon black, prospects in the rubber industry (abs S92#24) (4) 855
Carbon-black-filled SBR, green strength (2) 475

* Prepared by Lois W. Brock.

Carboxylated NBR, blended with chlorinated NR, self-crosslinkable (1) 24
Cellular elastomers, closed-cell, as water-vapor retardant insulators on cold pipes (abs-S92#51) (4) 860
Cellular morphology, of foamed olefinic thermoplastic elastomers, influence of composition and processing history (5) 932
Cellular thermoset materials, role of thermomechanical analysis in development (abs-S92#49) (4) 859
Chain ends, study of possible effect on Mullins softening (5) 965
Chemlok 855, waterborne adhesive for post-vulcanization bonding (abs-S92#67) (4) 864
Chlorinated NR, blended with carboxylated NBR, self-crosslinkable (1) 24
cis-polyisoprene, spin-spin motional analysis of accelerated sulfur vulcanized (5) 956
Competition in manufacturing, a systematic approach (abs-S92#15) (4) 853
Composite, of ground scrap tires and polyethylene, role of functional polymers in (5) 908
Composites, cord-reinforced, fatigue (abs-S92#56) (4) 861
Computer network, for turning raw lab data into corporate information (abs-F91#51) (1) 269
Computer systems, integrated, for recipe formulations, mixing, and testing (abs-F91#53) (1) 269
Conductivity, electrical, of thermo-oxidatively degraded EPDM (2) 315
Contact pressure, of rubber wedge with flat rigid surface (1) 223
Corporate network, making use of laboratory data (abs-F91#51) (1) 269
CR roofing membranes, durability testing (abs-F91#8) (1) 261
CR, electrical conductivity of carbon-fiber–filled (1) 7
CR, for high-temperature engine mounts (abs-F91#79) (1) 273
CR, front to back roll transition in mill processing (5) 879
CR, with improved processing and properties (abs-F91#30) (1) 265
Crack symmetry, during rupture of elastomers (2) 350
Creep-rupture tests, of aged EPDM membranes (abs-F91#5) (1) 260
Crosslink densities, of cured NR, method for estimating (abs-S92#76) (4) 867
Crosslink density and structure, in NR vulcanizates (1) 63
Crosslinking systems, for curing EPDM, EPM, and ENB (5) 869
Cure behavior, of accelerated sulfur NR compound, effect of humidity and water content (2) 374
Curemeter, rotorless, for testing expanded rubber (abs-S92#40) (4) 858
Curemeters, rotorless, automation (abs-S92#69) (4) 864
Curing, of ethylene–propylene elastomers, with peroxides or with disulfonyl azide (5) 869
Diene rubbers, structure and properties (abs-F91#31) (1) 265
Diimide, generated *in situ*, for preparation of highly saturated HNBR latex (1) 245
2,3-Dimethyl-2-butene, model olefin for studying vulcanization products (2) 343
Dispersion, of carbon black in NR, effect of quality on dynamic mechanical properties (5) 1016
Dispersion, of carbon black in NR, kinetics of (5) 998
Dispersion, of carbon black in rubber, method for assessing quality of dispersion (5) 973
Dynamic mechanical spectroscopy, for rheological properties of NBR elastomers (abs-S92#2) (4) 851
Elasticity, of rubber (Charles Goodyear Medal Address, 1992) to R. S. Rivlin, 1992 (3) G51
Elastomeric alloys, for automotive parts (abs-F91#33) (1)266
Elastomers, availability of raw materials (abs-S92#34) (4) 856
Electrical resistivity, for finding rubber processability index (review) (3) 601
Electron-beam processing equipment, for tires (abs-F91#63) (1) 272
Engine mounts, of CR for high-temperature use (abs-F91#79) (1) 273
Environment, influence of global tire materials (abs-S92#36) (4) 857
Environmental impact, of tire manufacturing, steps to improve (abs-S92#53) (4) 860
EPDM formulations, for fire retardacy and smoke suppression (abs-F91#7) (1) 261
EPDM membranes, creep-rupture tests (abs-F91#5) (1) 260
EPDM roofing membranes, durability testing (abs-F91#8) (1) 261
EPDM roofing membrane, tensile testing and spectroscopic examination of (abs-F9112) (1) 261
EPDM, correlation between structure and toughening effect of PP modification (abs-F91#2) (1) 259
EPDM, functionalized (maleated), blends with nylon (abs-F91#10) (1) 261
EPDM, rational design for use in body seals (abs-S92#50) (4) 860
EPDM, thermo-oxidatively-degraded, conductivity (2) 315
EPDM, carbon-filled, electrochemical influence on (abs-F91#18) (1) 263
EPDM, curing with peroxides in presence of process oils (2) 385
Ethylene vinyl acetate elastomers, for industrial rubber goods (abs-S92#32) (4) 856
Ethylene-acrylic acid copolymers, for improving impact strength of ground tire/PE composite (5) 908
Ethylene/acrylic elastomers, for aggresive environments (abs-F91#28) (1) 264
Expanded rubber, activator for azodicarbonamide in manufacture of (abs-S92#39) (4) 858
Expanded rubber, testing with rotorless curemeter (abs-S92#40) (4) 858

Extruder, ZSK co-rotating twin screw, for continuous processing (abs-S92#72) (4) 864
Extrusion, with controlled curvature (abs-F91#36) (1) 266

Fatigue, of cord-reinforced composites (abs-S92#56) (4) 861
Filler distribution, in immiscible rubber blends (2) 293
Filler–elastomer interactions, inverse gas chromatography at finite concentration (5) 890
Fillers, interaction with elastomers, effect of surface energy (2) 329
Finite element analysis, in study of rubber viscoelasticity (1) 137
Finite element analysis, of laminated rubber bearings for base-isolation system (1) 46
Fire resistance, of rubber in building systems, test requirements (abs-F91#6) (1) 260
Fires, postcure, of fluoroelastomers (abs-F91#43) (1) 268
Flame retardancy, in EPDM formulations (abs-F91#7) (1) 261
Flammability, of rubber in building systems (abs-F91#6) (1) 260
Flow visualization study, on influence of compatibilizing agents in elastomer blends (abs-S92#22) (4) 854
Flow, of elastomers in internal mixers, using rotors of different design (abs-S92#20) (4) 854
Fluoroelastomer, comparison of cost performance with HNBR(abs-S92#68) (4) 864
Fluoroelastomers, postcure oven fires (abs-F91#43) (1) 268
Fractal dimensions, of carbon black particles (1) 130
Fractals, in carbon black aggregates (1) 107
Fracture mechanics, in study of fatigue of rubber composites (abs-S92#56) (4) 861
Friction, dynamic coefficient in wear of tank track pads (1) 31
Friction, of rubber, guide to estimating (review) (3) 601

Gamma backscatter thickness measurement, for controlling diversified gum calenders (abs-F91#64) (1) 272
Gas chromatography, inverse, for characterizing filler–elastomer interactions (5) 890
Gaskets, heat-resistant, from highly saturated HNBR latex (1) 245
Gel, effect on deformation of PVC–NBR blends (2) 453
Green strength, of carbon-black-filled SBR (2) 475
Group-transfer polymerization (review) (3) 527
Gum rubbers, effect of extending oil and plasticizer on plateau modulus (abs-S92#59) (4) 863

Heatpipes, for plastics injection molding (abs-F91#45) (1) 268
Hines, William J., Rubber Division Chairman, biog. sketch (1) G2
HNBR (hydrogenated NBR), with improved low-temperature properties (abs-F91#29) (1) 265
HNBR (hydrogenated NBR), interfacial adhesion to various elastomers (abs-F91#83) (1) 274
HNBR, alternative fo fluoroelastomer (abs-S92#68) (4) 864
HNBR, preparation in latex form (1) 245
HNBR, vibration isolation and fatigue (abs-S92#73 (4) 866
Hose, linear measurement (abs-S92#71) (4) 864
HPLC (High performance liquid chromatography), in study of vulcanization chemistry (2) 488
Humidity and water content, effect on cure behavior of accelerated sulfur NR compound (2) 374
Hydrogenated NBR, for synchronous belts, compounding for maximum heat resistance and load-bearing (abs-F91#80) (1) 274
Hydrogenated NBR, with improved low-temperature properties (abs-F91#29) (1) 265
Hydroplaning, new tire design for overcoming (abs-S92#45) (4) 858
Hysteresis ratio, whole-tire, for determining rolling resistance (2) 444

IIR, alternative nonsecondary-amine compounding for innertubes (abs-F91#58) (1) 269
Imaging techniques, linear diode array, for automatic x-ray inspection of tires (abs-F91#70) (1) 273
Impact strength and gloss, balance in high-impact polystyrene (abs-F91#1) (1) 259
Injection molding, at reduced cycle time with optimal part quality (abs-F91#45) (1) 268
Injection molding, of NBR elastomers, rheological test for characterizing (abs-S92#2) (4) 851
Injection molding, of rubber, testing during (abs-S92#3) (4) 851
Injection molding, of silicone rubber, cure rate and flow properties (abs-F91#56) (1) 269
Injection molding, of rubber, releasants for (abs-S92#12) (4) 852
Injection molding, practical techniques (abs-S92#14) (4) 853
Injection molding, transpolyoctenamer as an aid (abs-S92#13) (4) 852
Injection molding, with additives (abs-S92#11) (4) 852
Insulation, water-vapor retardant, from closed-cell elastomeric foams (abs-S92#51) (4) 860
Interface, of rubber wedge with a flat rigid surface (1) 223
Internal mixer, with variable intermeshing clearance (abs-F91#25) (1) 264
International Rubber Science Hall of Fame, 1991, Jean Le Bras, Biography by J. B. Donnet and Jacques Gossot (2) G27
IR, vulcanized with N-*t*-butyl-2-benzothiazole sulfenamide, C-13 NMR study (2) 427

Laminates, of SBR, anisotropy in disks cut by water jet (abs-F91#84) (1) 275
Laser desorption mass spectrometry, for surface characterization of rubber (2) 411

Layer, Robert W., recipient of Melvin Mooney Distinguished Technology Award, 1992 (3) G46
Le Bras, Jean, biog., International Rubber Science Hall of Fame, 1991 (2) G27
Load-deflection relations, of bonded elastomeric circular disks and strips (5) 917
Low-temperature acrylic rubber (abs-F91#32) (1) 265
Low temperature properties of HNBR (abs-F91#29) (1) 265

Maxwell model, for rubber viscoelasticity (1) 137
Mechanical tester, torsional, for testing rubber before, during and after cure (abs-S92#70) (4) 864
Microencapsulation, of antidegradants for rubber (1) 201
Mill processing, of CR and ABR rubbers, front to back roll transition (5) 879
Miscibility, of IR/BR blends and of BR/BR blends (abs-S92#57) (4) 862
Mixer, internal, technology for the rubber industry (review) (3) 527
Mixers, internal, advanced technology (abs-F91#24) (1) 263
Mixers, internal, flow visualization using different rotors (abs-S92#20) (4) 854
Mixers, internal, with tangential and intermeshing rotor design (abs-F91#26) (1) 264
Mixing line equipment, advances (abs-S92#58) (4) 862
Mixing room, aspects affecting quality (abs-F91#22) (1) 263
Mixing system, for industrial rubber products (abs-F91#34) (1) 266
Mixing, influence on silica-reinforced agricultural tire tread (abs-S92#54) (4) 861
Mixing, of polymers, software for integrating aspects of (abs-S92#75) (4) 866
Mixing, tandem (abs-F91#27) (1) 264
Modulus, plateau, effect of extending oil and plasticizer (abs-S92#59) (4) 863
Molding technology, overview (abs-S92#1) (4) 851
Mooney viscosity, values from suppliers and of finished products (abs-S92#79) (4) 868
Mooney-viscosity, improving reproducibility of measurements (abs-F91#74) (1) 273
Mooney-viscosity, statistical evaluation of no-pass method (abs-F91#75) (1) 273
Morphology, of carbon black aggregates, by fractal versus Euclidian geometry (1) 107
Mullins softening, study of chain ends as a factor (5) 965

N-Cyclohexyl-*bis*-(2-benzothiazolesulfen)amide, accelerator to reduce generation of nitrosamines (abs-F91#41) (1) 267
N-*t*-butyl-2-benzothiazole sulfenimide, as slow curing accelerator (abs-F91#59) (1) 271
N-*t*-butyl-2-benzothiazole sulfenamide, vulcanization chemistry studied by HPLC (2) 488
N-*t*-butyl-2-benzothiazole sulfenamide, accelerator for IR, studied by C-13 NMR (2) 427
NBR, blend with rubbery polyester acrylate (1) 231
NBR, swelling in polar and nonpolar liquids (abs-S92#62) (4) 863
NBR, swelling of vulcanizates in polar and nonpolar liquids, 1 (abs-F91#16) (1) 262
NBR, swelling of vulcanizates in polar and nonpolar liquids, 2 (abs-F91#17) (1) 262
NBR–PVC blends, effect of gel on deformation (2) 453
Nitrosamines, analyzing in elastomer compounds (abs-F91#42) (1) 267 NMR spectroscopy, in study of crosslink density and structure in NR vulcanizates (1) 63
NR elastomeric alloys, properties and applications (abs-S92#64) (4) 863
NR, estimating crosslink densities (abs-S92#76) (4) 867
NR, marketing trends (abs-S92#18) (4) 853
NR, oil-extended, for winter and all-season tires (abs-S92#55) (4) 861
NR, testing under combined sinusoidal loading (abs-F91#81) (1) 274
Nylon, in blends with functionalized (maleated) EPDM (abs-91#10) (1) 261

O-rings, fluoroelastomer, oven fires during postcure of (abs-F91#43) (1) 268
Oil swell, lowered, in new ethylene/acrylic elastomer (abs-F91#28) (1) 264
Oxidative scission, kinetic study in NR (1) 1
Ozone resistance, long-term, of IIR inner tubes (abs-F91#58) (1) 269

Pattern abrasion, in wear of tank track pads (1) 154
PB, star, with 32 arms (2) 303
Plasticity retention index, in NR (1) 1
Polybutadiene, liquid, maleinized, for improving adhesion of silicone elastomers (abs-S92#46) (4) 859
Polymer surface, modification (review) (3) 601
Polystyrene, high-impact, modified by SB-block copolymers (abs-F91#1) (1) 259
POTPE (polyolefin thermoplastic elastomers), influence of composition and processing history (5) 932
PP, effect on toughening of EPDM (abs-F91#2) (1) 259
Pressure, effect on ultimate properties of elastomers (2) 396
Process control, use of rheometers (abs-F91#44) (1) 268
Process oils, for peroxide curing of EPDM (2) 385
Processability index, of rubber using electrical resistivity (review) (3) 601
Processability, of polymers, measured through fundamental viscoelastic properties (abs-F91#65) (1) 272
Processing history, influence on cellular morphology of foamed olefinic thermoplastic olefins (5) 932

PROOPT, software system (IBM-DOS) for finding best combination of property values (abs-S92#74) (4) 866
PVC–NBR blends, effect of gel on deformation (2) 453

Quality control, cooperative (abs-S92#79) (4) 868
Quality, as related to aspects of the mixing room (abs-F91#22) (1) 263
Quality, optimal, achieving at reduced cycle times in rubber and thermoset molds (abs-F91#45) (1) 268

Raleigh–Ritz method, for nonlinear load-deflection relations (5) 917
Raw materials, for elastomers (abs-S92#34) (4) 856
Recuring, of BR (1) 211
Recycling, of thermoplastic elastomers (abs-F91#40) (1) 267
Reinforcement, of elastomers, effect of surface energies of fillers (2) 329
Releasants, semi-permanent, for rubber injection molding (abs-S92#12) (4) 852
Rheological study, of NBR during injection molding (abs-S92#4) (4) 852
Rheological test, for characterizing injection molding of NBR elastomers (abs-S92#2) (4) 851
Rheometer, moving die, for studying dispersions of carbon black in NR (5) 1016
Rheometer, moving die, for rubber compound analysis (abs-S92#77) (4) 867
Rheometers, in process control (abs-F91#44) (1) 268
Rivlin, R. S., Charles Goodyear Medalist—1992, biog. (3) G46
Rocks, effect on wear of tank track pads (1) 31
Rolling resistance, of tires, determining from whole-tire hysteresis ratio (2) 444
Roofing membranes, EPDM and CR, durability testing (abs-F91#8) (1) 261
Roofing problems, use of mechanical tests and spectroscopy for solving (abs-F9112) (1) 261
Roofing sheets, from bitumen modified with SB-block copolymer (abs-F91#14) (1) 262
Rotary joint design, 1933 through 1991 (abs-F91#42) (1) 267
Rotor blades, influence of shape and speed for internal mixing (abs-F91#24) (1) 263
Rotors, of different design, as they affect mixing of elastomers (abs-S92#20) (4) 854
Rubber chemicals, international trends (abs-S92#23) (4) 854
Rubber Division, ACS, Best Paper Awards, Spring 1991 (1) G13
Rubber Division, ACS, Guide for authors (3) G37
Rubber Division, ACS, Officers and Administration, 1992 (1) G1, (2) G19, (3) G31, (4) G69, (5) G91
Rubber Division, ACS, Information in previous issues (1) G11, (2) G20, (3) G32, (4) G70, (5) G92
Rubber Division, ACS, The Chemistry of Thermoplastic Elastomers Award, 1992, to William K Witsiepe (3) G47
Rubber Division, ACS, George Stafford Whitby Award, 1992, to Raymond B. Seymour (3) G44
Rubber Division, ACS, Policy on technical papers presented at Rubber Division meetings (1) G16, (2) G24, (3) G36, (4) G87, (5) G96
Rubber Division, ACS, Program for 1992 Fall Meeting (4) G73
Rubber Division, ACS, Program for 1992 Spring Meeting (1) G3
Rubber Division, ACS, Charles Goodyear Medalist—1992, R. S. Rivlin, Biography by Alan N. Gent (3) G48
Rubber Division, ACS, Melvin Mooney Distinguished Technology Award, 1992, to Robert W. Layer (3) G46
Rubber Division, ACS, Library and information services (1) G2, (2) G22, (3) G34, (4) G85, (5) G94
Rubber Process Analyzer, for estimating physical and chemical crosslink densities (abs-S92#76) (4) 867
Rubber Process Analyzer 2000, for testing rubber before, during, and after cure (abs-S92#70) (4) 864
Rubber technicians, knowledge and skills required (abs-F91#77) (1) 273
Rubber testing, for injection molding (abs-S92#3) (4) 851
Rubber wedges, contact with flat rigid surface (1) 223
Rubber, expanded, developments through the years (abs-S92#37) (4) 857
Rubber–brass interface, influence of boric acid ester (abs-S92#47) (4) 859
Rupture, gas-induced, of elastomers, crack symmetry phenomena (2) 350

SB-block copolymer, modifier for bitumen in roofing sheets (abs-F91#14) (1) 262
SB-block copolymers, as impact modifiers for high-impact polystyrene (abs-F91#1) (1) 259
SBR, accelerator system, binary (2) 277
SBR, carbon-black-filled, green strength (2) 475
SBR, molded, anisotropy in disks laminated by water jet cutting (abs-F91#84) (1) 275
SBR, with different composition distribution (abs-F91#31) (1) 265
Scrap rubber, conversion to ground rubber for recycling (abs-F91#37) (1) 266
Seals, body, rational design of EPDM for (abs-S92#50) (4) 860
Seymour, Raymond, recipient of George Stafford Whitby Award, 1992 (3) G44
Shearography, real-time, for nondestructive testing of tires (abs-F91#67) (1) 272
Shock and vibration control, in aerospace applications, Part I (abs-S92#28) (4) 855
Shock and vibration control, in aerospace applications, Part II (abs-S92#29) (4) 856
Sidewalls, with delayed-release antidegradants (1) 201
Silica reinforcement of agricultural tire tread, influence of mixing (abs-S92#54) (4) 861

Silica, precipitated, in improved black sidewall tires (abs-S92#41) (4) 858
Silicone elastomers, adhesion improved with maleinized polybutadiene liquid resin (abs-S92#46) (4) 859
Silicone rubber, cure rate and flow properties during injection molding (abs-F91#56) (1) 269
Sinusoidal loadings, for testing of NR specimens (abs-F91#81) (1) 274
Smoke suppression, in EPDM formulations (abs-F91#7) (1) 261
Software system, PROOPT, for balancing properties (abs-S92#74) (4) 866
Software, for integrating business, engineering, and production aspects of polymer mixing (abs-S92#75) (4) 866
Spin-spin motional analysis, of accelerated sulfur vulcanized *cis*-polyisoprene (5) 956
Sulfurization and crosslinking, of *cis*-polyisoprene, study of relation between (5) 956
Surface characterization, of rubber using laser desorption mass spectrometry (2) 411
Surface energy, of fillers, effect on filler–elastomer interactions (2) 329
Surface topography, in studying abrasion of tank track pads (1) 154 Surface, of polymer, modification (review) (3) 601
Swelling, of NBR vulcanizates, in polar and nonpolar liquids (abs-F91#17) (1) 262
Swelling, of NBR vulcanizates, in polar and nonpolar liquids (abs-F91#16 (1) 262
Swelling, of NBR in polar and nonpolar liquids (abs-S92#62) (4) 863
Syn-Coat adhesive system, for bonding EPDM roofing membrane seams (abs-F91#4) (1) 259
Synthetic rubber industry, changes in (abs-S92#26) (4) 855
Synthetic rubbers, new frontiers (abs-S92#16) (4) 853

Tank track pads, abrasion and wear (1) 154
Tank track pads, abrasion by rocks (1) 31
Testing, understanding variations in (abs-S92#78) (4) 867
Tetrabenzylthiuram disulfide, accelerator to reduce generation of nitrosamines (abs-F91#41) (1) 267
TG-DTG technique, for analyzing vulcanizate composition (review) (3) 503
Thermomechanical analysis, role in monitoring of cellular thermoset materials (abs-S92#49) (4) 859
Thermoplastic elastomers, recycling (abs-F91#40) (1) 267
Tire materials, in relation to the environment (abs-S92#36) (4) 857
Tire sidewalls, black, with precipitated silica (abs-S92#41) (4) 858
Tire tread, silica reinforced agricultural, influence of mixing procedures (abs-S92#54) (4) 861
Tire treads, factors affecting wear (review) (3) 601
Tire wear, and relation to abrasion (1) 78
Tires, automatic x-ray inspection with linear diode array imaging techniques (abs-F91#70) (1) 273
Tires, conversion to ground rubber for recycling (abs-F91#37) (1) 266
Tires, environmental (abs-S92#53) (4) 860
Tires, ground scrap, composite with polyethylene (5) 908
Tires, improving performace over the years (abs-F91#73) (1) 273
Tires, nondestructive testing through shearography (abs-F91#67) (1) 272
Tires, processing with electron-beam equipment (abs-F91#63) (1) 272
TPE's, continuing improvements in (abs-S92#35) (4) 857
Trans-esterification, for dynamic vulcanization of blends (1) 231
Transpolyoctenamer, aid for injection molding (abs-S92#13) (4) 852
Treadwear, factors affecting (review) (3) 601
Tires, winter and all-season (abs-S92#55) (4) 861

Vibration isolation, in HNBR (abs-S92#30) (4) 856
Vibration isolators, strain sensitivity effects (abs-S92#27) (4) 855
Viscoelastic properties, of polymers, for measuring processability (abs-F91#65) (1) 272
Viscohyperelastic Maxwell Model, for studying rubber viscoelasticity (1) 137
Vulcanization mechanism, studying by recuring of BR vulcanizate (1) 211
Vulcanization, of simple model olefins (2) 343
Vyram, thermoplastic rubber, properties and applications (abs-S92#64) (4) 863

Wallace Plasticity Measurement, of NR (1) 1
Water jet cutting, influence on disks of molded SBR laminates (abs-F91#84) (1) 275
Wear, of tires and relation to abrasion (1) 78
Witsiepe, William K., recipient of Chemistry of Thermoplastic Elastomers Award, 1992 (3) G47

ZSK co-rotating twin screw extruder, for continuous processing of rubber (abs-S92#72) (4) 864